Docket No.: 01-48 US

IN THE CLAIMS

The following listing of claims replaces all prior versions or listings of claims pending in the application:

- 1. (currently amended) A carrier for <u>allowing a user to carry</u> a chromatographic column assembly <u>comprising a support structure and a wound tubular chromatographic column mounted on the support structure, the carrier including at least one connecting part for connecting the carrier to the <u>chromatographic column assembly support structure</u>.</u>
- 2. (original) A carrier according to claim 1, wherein the carrier is in the form of a strip.
- 3. (original) A carrier according to claim 1, wherein at least one connecting part comprises an aperture in the carrier.
- 4. (currently amended) A carrier according to claim 1, including a further connecting part for connecting the carrier to a further chromatographic column assembly comprising a further support structure and a further wound chromatographic column mounted on the further support structure.
- 5. (original) A carrier according to claim 1, wherein the carrier comprises metal.
- 6. (original) A carrier according to claim 1, wherein the carrier includes at least one part adapted for mounting a chromatographic column connecter thereon.
- 7. (original) A carrier according to claim 1, wherein the carrier includes at least one part for displaying information.

Docket No.: 01-48 US

9. (original) A carrier according to claim 1, including a measurement indicia.

- 10. (original) In combination, a carrier according to claims 1 or 2, and at least one chromatographic column assembly, comprising a structure around which a chromatographic column is wound.
- 11. (original) The combination of claim 10, wherein the structure includes one or more connectors for connecting to the carrier.
- 12. (currently amended) A combination of claim 11, wherein the or each connector comprises a hook.
- 13. (original) A combination of claim 10, wherein the structure comprises upper and lower annular members connected by a plurality of connecting bars, at least one of which forms the one or more connectors.
- 14. (currently amended) A strip form part handle for use with said connecting to-a winding structure of a- on which a chromatographic column is mounted, equipped with at least two clips to hold chromatographic column ends.
- 15. (currently amended) A strip form part handle for use with connecting to a winding structure of a on which a chromatographic column is mounted, wherein the strip form handle contains chromatographic column identification information.
- 16. (currently amended) A strip form part handle for use with connecting to a winding structure of a on which a chromatographic column is mounted, wherein the strip form part handle contains a ruler for measuring column insertion length.

Docket No.: 01-48 US

- 17. (new) A chromatography column apparatus comprising:
 - a first chromatographic column assembly comprising a first winding structure and a first tubular gas chromatographic column wound around the first winding structure; and
 - a strip-shaped carrier attached to the first winding structure substantially at two opposite ends of the carrier, for allowing a user to carry the chromatographic column apparatus.
- 18. (new) The apparatus of claim 17, further comprising a second chromatographic column assembly comprising a second winding structure and a second tubular gas chromatographic column wound around the second winding structure, wherein the second winding structure is positioned concentrically within the first winding structure and is attached to the carrier.
- 19. (new) A gas chromatography method comprising: winding a first tubular gas chromatographic column around a first winding structure to form a first chromatographic column assembly; attaching an elongate, strip-shaped carrier to the winding structure substantially at two opposite ends of the carrier, for allowing a user to carry the first chromatographic column assembly; and passing a gas through the chromatographic column.
- 20. (new) The method of claim 19, further comprising: winding a second tubular gas chromatographic column around a second winding structure to form a second chromatographic column assembly; disposing the second chromatographic column assembly concentrically within the first chromatographic column assembly; and attaching the carrier to the second winding structure.